

STOPDIGGING!®

FOUNDATIONS MADE SMARTER

VERSATILE SOLUTIONS FOR EVERY PROJECT

StopDigging foundations are built to meet the highest international standards in the industry. **PAGE 8**

PROVEN SUCCESS GROUND SCREWS IN ACTION

Dive deeper into the challenges, solutions, and results behind innovative foundations built around the world. **PAGE 10**

A SMARTER GREENER ALTERNATIVE



SMARTER
FOUNDATIONS
START HERE

NO DIGGING, NO CASTING, NO WAITING

JUST SOLID FOUNDATIONS MADE SMARTER

At StopDigging, we see the foundation as more than just the start of a build — it's the start of building better. That's why we've reimaged how foundations can be made. Faster to install, easier to adapt, cleaner for the environment and ready to build on from day one. This is how foundations are made smarter.

With a presence in over 25+ countries and a growing network of installation partners, we offer a modern, low-impact alternative to concrete with engineered ground screws that are faster to install, reusable, and significantly reduce CO₂ emissions.

What began in Sweden in 2012 with two entrepreneurs and a simple idea has evolved into a leading force in sustainable foundation technology. Today, under the guidance of CEO Richard Alm, we support professionals across industries, from residential builds and solar parks to large-scale infrastructure, with certified solutions that meet the highest standards for both quality and environmental responsibility.

SGC 200M 89x4.0



” We believe that the foundation of tomorrow should be efficient and leave no trace behind.
That’s why we are building smart foundations.

Richard Alm, CEO of StopDigging



FOUNDATIONS MADE SMARTER.....	2–3
WHY CHOOSE STOPDIGGING?	4–5
WHY USE GROUND SCREWS?	6–7
VERSATILE SOLUTIONS FOR EVERY PROJECT	8–11
PROVEN SUCCESS GROUND SCREWS IN ACTION	12–13
ENERGY SOLUTIONS	14–15
SGC ADAPTER SCREW	16
SGU BEAM SCREW	17
SGS POST SCREW	18
SGP ADAPTER SCREW	19
SGN PIPE SCREW	20
SGX ADAPTER SCREW	21
ELS, CBS & NRB	22–23
ACCESSORIES	24–25
MACHINES	26–27



**FLEXIBLE
SOLUTIONS**

WHY CHOOSE STOPDIGGING? BECAUSE WE KNOW FOUNDATIONS

We are the trusted partner for builders, architects, and developers who demand expertise within smarter foundation solutions.

Expertise you can rely on

StopDigging provides end-to-end solutions, ensuring that every installation is optimised for long-term performance. Whether a small residential building or a large-scale commercial development, we bring technical know-how and trusted solutions to every foundation.

Our comprehensive services include:



Site assessments & soil testing

Ensuring optimal placement and load-bearing capacity.



Tensile testing & engineering calculations

Verifying structural integrity for diverse applications.



Customised planning & installation

Tailoring foundations to meet project-specific requirements.

Versatile foundations for every project

Our ground screws are designed and developed in Sweden, providing secure and stable foundations for a variety of applications, including:

Residential construction

An ideal solution for decks, building extensions, fences, and garden structures.

Infrastructure & commercial projects

Supporting everything from temporary event structures to permanent buildings.

Solar parks & renewable energy

A reliable and non-intrusive foundation for solar panels and energy storage systems.







No digging
no waiting

WHY USE GROUND SCREWS?

MODERN FOUNDATIONS DESERVE GROUND SCREWS

Ground screws provide a modern, reliable alternative that speeds up installation, reduces carbon footprints, and adapts to diverse terrains.

Build to last

Ground screws are engineered to last, offering a minimum estimated lifespan of 100–125 years with minimal maintenance. Made from hot-dip galvanized steel, they resist corrosion, withstand extreme weather conditions, and maintain their load-bearing capacity over time. Whether facing heavy snow loads, high winds, or fluctuating soil conditions, ground screws provide unwavering stability.

” With every project we take another step towards a future where foundations are made faster, cleaner, and more responsible.

Henrik Karlsson, Country Sales SE & NO



STOPDIGGING'S COMMITMENT TO QUALITY AND SUSTAINABILITY

- BACKED BY ISO CERTIFICATION

At StopDigging, we are committed to the highest standards of quality, sustainability, and efficiency in everything we do. Our ISO certifications are a testament to this dedication, ensuring that our products, processes, and services consistently meet international standards.

Material: EN 10027-1:2016: S235 JR

Product CE: EN 1090

Galvanization: ISO 1461:2009

Manufacturing process: EN 1090 / ISO 9001:2015

Installation process: ISO 9001:2015

WHY OUR GROUND SCREWS ARE A TRUSTED FOUNDATION:

PROVEN QUALITY, CERTIFIED COMPLIANCE, AND GLOBAL RECOGNITION

Certified systems reduce risk, ensure compliance, and streamline project approvals — which is why the StopDigging ground screw foundation system is certified to the highest national and international standards.

Our system holds certifications from various organisations, including CodeMark (Australia and New Zealand), BBA (UK), and ICC-ES (USA), and is also UKCA and CE marked. These certifications encompass the entire lifecycle, from steel quality and manufacturing to installation, providing engineers, specifiers, and project managers with complete confidence in code compliance and long-term reliability.



BBA - Verified compliance with UK and British construction standards.



CodeMark - Recognised approval for projects across Australia and New Zealand.



Our products are CE (EN 1090) and UKCA marked, meeting EU and UK standards for quality, safety, and environmental compliance.



ICC Evaluation Service (ICC-ES) is the North American industry leader in performing technical evaluations of building products, materials and systems for code compliance.

EXPECTED
MINIMUM
SERVICE LIFE

125
YEARS*



VERSATILE SOLUTIONS FOR EVERY PROJECT

Our ground screw systems are engineered for high performance across a wide range of applications. Below, you'll find typical application areas where our foundations offer clear advantages over traditional methods.

Infrastructure

Ground screws are a smart choice for installing fences, signage, streetlights, and other structures. Quick to install, reusable, and require no digging or concrete.

Renewable energy

We provide durable foundations for solar panels, Battery Energy Storage Systems (BESS), and more.

Landscaping & outdoor projects

Supporting pergolas, greenhouses, boardwalks, and play areas without disrupting the natural environment.

Temporary & modular solutions

Perfect for temporary event structures, exhibition stands, and emergency shelters, offering a removable, reusable foundation system.

Commercial & residential construction

Solid support for smaller projects, such as decks and extensions, to more heavy-duty, modular structures and houses.



**Foundations
built to last**





GROUND SCREWS - A SMARTER AND GREENER CHOICE



Solar-powered irrigation for a dairy farm

The challenges

- Reducing reliance on grid electricity.
- Building on uneven, sandy, and muddy terrain.
- Ensuring precise alignment of long solar arrays.
- Executing the project efficiently in a working farm environment.



Mount Eden and Mangere Mountain boardwalk project

The challenges

- Preventing erosion and restoring damaged tracks.
- Preserving cultural and historical significance.
- Minimising ground disturbance while ensuring visitor safety.
- Creating a durable, low-impact foundation that blends into the natural environment.



VillaZero a carbon-neutral home

"A carbon-neutral construction demands careful evaluation of every material choice. Ground screws were selected for VillaZero's carport due to their lower carbon footprint and precise, efficient installation. Thank you, StopDigging, for your expertise and support!"

Johan Sonesson | Structural Engineer

PROVEN SUCCESS

GROUND SCREWS IN ACTION

Curious how ground screws perform in real-world projects? Explore case stories on our global website, from remote solar parks to urban infrastructure and residential builds. Each story demonstrates how a StopDigging foundation provided a practical and sustainable solution where traditional methods fell short.



Fisherman's retreat

sustainable foundations for unique holiday pods

Location: South West England

Client: Expanding Holiday Park

Challenge: Secure foundations for fishing pods on a steep, clay-heavy bank

Solution: StopDigging SGC ground screws, up to 2.5 metres in length

STOPDIGGING

ENERGY SOLUTIONS

StopDigging specialises in foundation systems that adapt to rugged terrains, providing reliable support where traditional foundations reach their limitations. With a fast, efficient, and cost-effective approach, we manage everything from feasibility studies and material optimisation to custom engineering and full-scale installation. We have expertise in both small and large-scale energy projects.



Not all terrain is ideal for conventional foundations.

Soft, uneven, or remote locations often present significant obstacles to traditional construction methods. Our foundation solutions take on ground conditions that others won't. Whether installing solar panel racks on sloping ground or placing BESS units on rugged terrain, our ground screws offer a smart and efficient solution.

TAKING ON THE GROUND THAT OTHERS WON'T

Our comprehensive service approach ensures that each project is delivered efficiently and seamlessly, including:

Project feasibility analysis – Site assessments, custom foundation designs, and risk evaluations to determine the best approach for any given location.

Technical expertise – Precision engineering and tailored solutions to ensure long-term performance in all environmental conditions.

Installation services – A fully managed process, from installing ground screws and supporting structures to ensure alignment and load-bearing capacity.

Custom foundation solutions – Tailored designs to accommodate challenging ground conditions and unique project requirements.

Purpose-made products

All of our products are designed and manufactured with the greatest efficiency and performance in mind.

Accessory items

A complementary range of items such as cover frames, electrical wiring fastening, racking for inverter components, security fences, and more. Solutions can be custom-made for specific projects.

PV-panel mounting systems

We have our own solution in materials from aluminium to steel. Varying configurations for panel sizes, orientation, and inclination.

Foundations for heavier objects

Load-bearing components for large and small battery units, transformers, electrical substations and cabinets.






SGC

ADAPTER SCREW



Material:
Hot-dip galvanized steel

Length:
865 to 3500mm | Screw diameter:
76 to 114mm




SGC 200 76x2.5


No M20 on SGC 200




SGC 200M 76x4.0



SGC 200M 89x4.0



SGC 230M 114x4.0



FIND YOUR SCREW:

Lengths →

Model		865	1200	1600	2000	2500	2800	3000	3500
200	76x2.5	4801	4802	4803	4804	4805	4806		
	76x4.0	4030	4031	4032	4033	4034			
200M	89x4.0		4045	4036	4047	4048		4019	4050
	114x4.0		4055	4056	4057	4058			
230M									

SGC 200 76x2.5

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4801	13,5	7	3,5	865	420
4802	25	12,5	6	1200	600
4803	35	21,5	8,5	1600	800
4804	45	34	11,5	2000	1000
4805	55	41,5	14,5	2500	1200
4806	62	46	17	2800	1200

SGC 200M 76x4.0

EXPECTED
MINIMUM
SERVICE LIFE
125
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4030	13,5	7	3,5	865	480
4031	25	12,5	6	1200	840
4032	35	21,5	8,5	1600	900
4033	45	34	11,5	2000	900
4034	55	41,5	14,5	2500	900

SGC 200M 89x4.0

EXPECTED
MINIMUM
SERVICE LIFE
125
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4045	37,5	18	9,5	1200	900
4036	58	36	13	1600	1200
4047	72	53	17,5	2000	1500
4048	82	58	22	2500	1500
4019	91,5	65	24,5	3000	1500
4050	104	72	28,5	3500	2500

SGC 230M 114x4.0

EXPECTED
MINIMUM
SERVICE LIFE
125
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4055	52	34	11	1200	840
4056	66,5	41	15	1600	1200
4057	82,5	61,5	20	2000	1500
4058	98	67	29	2500	1500






SGU



BEAM SCREW

Material:
Hot-dip galvanized steel


Length:
480 to 1500mm | Screw diameter:
40 to 68mm



SGU 95x100 68x2.0



SGU 95x100 40x2.0



FIND YOUR SCREW:

Lengths →

Model		480	580	765	900	1100	1500
95x100	40x2.0	10055					
	68x2.0		1005	1002	1003	1004	1006

SGU 95x100 40x2.0


EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
10055	2,5	1,7	0,5	480	280

SGU 95x100 68x2.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
1002	6	4,5	2,5	765	280
1003	10,5	5,5	3,5	900	280
1004	12,5	6,5	4,5	1100	280
1006	17,5	8	7	1500	600



GROUND SCREWS - A SMARTER AND GREENER CHOICE



SGS

POST SCREW



Material:
Hot-dip galvanized steel

Length:
730 to 1000mm


Screw diameter:
68mm



SGS 70x210 68x2.0



SGS 95x210 68x2.0



FIND YOUR SCREW:

Lengths →

Model		730	1000
70x210	68x2.0	2005	2007
95x210	68x2.0	2006	2008

SGS 70x210 68x2.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
2005	6	4,5	3	730	280
2007	12,5	6,5	4,5	1000	280

SGS 95x210 68x2.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
2006	6	4,5	3	730	280
2008	12,5	6,5	4,5	1000	280






SGP

ADAPTER SCREW

Material:
Hot-dip galvanized steel

Length:
580 to 2000mm | Screw diameter:
68mm



FIND YOUR SCREW:

Lengths →

Model		580	865	1200	1600	2000
95M	68x2.0	4005	4003	4004		
	68x3.0				4006	
	68x3.5					4007

SGP 95M 68x2.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4003	6	4,5	2,5	865	280
4004	12,5	6,5	4,5	1200	480
4005	2,5	1,7	0,5	580	280

SGP 95M 68x3.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4006	25,5	14,5	7	1600	820

SGP 95M 68x3.5

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4007	25.5	14.5	7	2000	820



GROUND SCREWS - A SMARTER AND GREENER CHOICE




SGN

PIPE SCREW

Material:
Hot-dip galvanized steel

Length:
600 to 2500mm | Screw diameter:
68 to 114mm



FIND YOUR SCREW:

Lengths →

Model		600	865	900	1200	1600	2500
64	68x2.0	3001	3002				
68	76x4.0		3007		3009	3005	
81	89x4.0		3008				3011
85	89x2.0		3003				
106	114x4.0			3006			

SGN 64 68x2.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
3001	2,5	1,7	0,5	600	280
3002	9	4,5	3	865	280

SGN 68 76x4.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
3007	13,5	7	3,5	865	400
3009	25	12,5	6	1200	400
3005	35	21,5	8,5	1600	820

SGN 81 89x4.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
3008	22,5	10,5	3,5	865	280
3011	68	46	21	2500	900

SGN 85 89x2.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
3003	22,5	10,5	3,5	865	280

SGN 106 114x4.0

EXPECTED
MINIMUM
SERVICE LIFE
100
YEARS*

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
3006	28	12,5	7	900	400

* Terms apply, see warranty terms






SGX

ADAPTER SCREW


Material:
Hot-dip galvanized steel

Length:
1000mm to ∞


Screw diameter:
76mm




SGX7 N 76x4.0




SGX7 N 76x4.0 H50



SGX7 EL 76x4.0 H50



SGX7 EL 76x4.0



SGX7 H C200M

FIND YOUR SCREW:

Lengths →

Model			-	1000	2000
N	76x4.0				4024
	76x4.0	H50			4026
EL	76x4.0			4023	
	76x4.0	H50			4025
H	C200M		5035		

SGX7 N 76x4.0

EXPECTED
MINIMUM
SERVICE LIFE
**125
YEARS***

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4024	-	-	-	2000	1500

SGX7 N 76x4.0 H50

EXPECTED
MINIMUM
SERVICE LIFE
**125
YEARS***

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4026	-	-	-	2000	1100

SGX7 EL 76x4.0

EXPECTED
MINIMUM
SERVICE LIFE
**125
YEARS***

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4023	-	-	-	1000	300

SGX7 EL 76x4.0 H50

EXPECTED
MINIMUM
SERVICE LIFE
**125
YEARS***


Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
4025	-	-	-	2000	500

SGX7 C200M 76x4.0

EXPECTED
MINIMUM
SERVICE LIFE
**125
YEARS***

Art	Comp (kN)	Tens (kN)	Lat (kN)	L (mm)	H (mm)
5035	-	-	-	-	-

GROUND SCREWS - A SMARTER AND GREENER CHOICE








ELS

ELEVATION SYSTEM

Material:
Hot-dip galvanized steel

Length:
250 to 2000mm | Screw diameter:
76mm

ELS C200 76x4.0 L1500	Art	5022
ELS C200 76x4.0 L2000	Art	5023



ELS C200M 76x4.0 L250	Art	5041
ELS C200M 76x4.0 L350	Art	5042
ELS C200M 76x4.0 L500	Art	5043
ELS C200M 76x4.0 L1000	Art	5044
ELS C200M 76x4.0 L1500	Art	5045
ELS C200M 76x4.0 L2000	Art	5046

ELS C200 and ELS C200M

Elevation system based on our standard 76mm tubes.

Designed for attaching to all of our SGC 200M and SGC 230M ground screws.


Hot-dip galvanized and securely fixed to the ground screw with radially mounted M12 or M14 bolts.



CBS


Bracing system for our standard 76mm screws and elevation columns

Clamps are heavy-duty forged steel. Hot-dip galvanized for maximum service life. EN 76 compliant swivelling design for adjustable brace angle. Tubes are 48mm diameter hot-dip galvanized steel.



CBS T 48x2.5 L2800

CBS T 48x2.5 L2800	Art	989101
CBS C 76x48	Art	989102



CBS C 76x48


DESIGNED AND DEVELOPED IN SWEDEN

TAILORED ACCESSORIES AND BRACKETS FOR EVERY NEED

We go beyond ground screws – we offer complete foundation solutions. Our accessories and brackets are designed and developed in Sweden, built to handle tough conditions and made to last.

From solar panel mounts to decking frames and custom fittings, we can develop what your project needs. Our skilled team works closely together to deliver durable, flexible solutions, and we're always refining our range to meet tomorrow's demands.

Below are a few examples of custom solutions we've developed, including accessories for noise barriers and other specialised applications.




NRB

Special attachment

For heavy fences and walls, commonly noise reduction barriers or similar. Custom-made according to wall design and load conditions. Single or dual-screw system with increased adjustability.


Contact us for more information and quotation.



NRB 1S

Art

-




NRB 2S

Art

-


ACCESSORIES

SGE BRACKET





SGE 90x140

Art nr 5061




SGE 95x100

Art nr 5002




SGE 115x200

Art nr 5062



SGE 140x200


Art nr 5063



SGE 155x100


Art nr 5020

SGF BRACKET





SGF 70x220xA

Art nr 5064




SGF 70x220 B

Art nr 5065



SGF 95x280 A



Art nr 5066



SGF 95x280 B

Art nr 5067


SGL BRACKET



SGL 100x95


Art nr 5006

SGI PLATE



SGI C200


Art nr 5025



SGI P150


Art nr 5007

SGT PIPE




SGT C200M

Art nr 5091




SGT 80 C200M

Art nr 5092



SGT 60 C70M

Art nr 5093



SGT 65 C80M

Art nr 5094



Read more on
stop-digging.com

STOPDIGGING MACHINES

BUILT TO CONQUER

ALL GROUNDS



SGM03

INSTALLATION MACHINE	
Power supply: 110/220VAC	RPM: 5
Torque: Up to 1800Nm	IP rating: IP2X

The SGM03 is our entry-level handheld installation machine. Featuring a lightweight unit and compact design, it produces 1800Nm of torque and is excellent for small and medium ground screws. A single installer can reliably and precisely operate the machine.



SGM07

INSTALLATION MACHINE	
Power supply: 110/220VAC	RPM: 20
Torque: Up to 5300Nm	IP rating: IP2X

The SGM07 is one of the strongest machines in our range of handheld installation devices. With a high-powered electric motor, the SGM07 produces 5300Nm of torque and has an unloaded speed of 20rpm in high gear mode. In other words, the SGM07 can handle larger installations in most conditions.



LV21

INSTALLATION MACHINE

Power supply: 85-264VAC	RPM: 7
Torque: Up to 5500Nm	IP rating: IP54

The LV21 is a state-of-the-art machine designed to set a new standard in ground screw installation. The machine has superior power and durability, a unique brushless IPM motor, and an advanced motor control system that delivers a reliable 5500Nm. With an IP54-rated design, the LV21 delivers exceptional performance in various environments.



SGM69

INSTALLATION MACHINE

Power supply: Petrol engine	RPM: 24
Torque: Up to 1200Nm	

The SGM69 is the smallest machine in our high-volume segment. It is a stable and reliable platform paired with a hydraulic rotator unit with 1200Nm of torque and a very high rotation speed. The efficiency of the SGM69 allows it to install a small or medium ground screw in less than a minute.



SGM2000

INSTALLATION MACHINE

Power supply: Petrol engine	RPM: 30
Torque: Up to 6000Nm	

The SGM2000 is our largest and highest-capacity piece of installation equipment. Featuring a hydraulically adjustable rig, great torque, and a pull-down system, SGM2000 will be able to install ground screws with very high speed and efficiency. Optionally, the machine can be equipped with real-time torque logging, full GPS positioning and an air-powered DTH drill for very hard ground.



Connecting ground screw projects worldwide

A smart step into the digital future

The SD Connect app changes the way you work with ground screws.

Easily installed on your smartphone, it connects to the LV21 machine via Bluetooth or WiFi and logs installation data in real-time. When the job is done, you can export detailed reports that include torque and load values for each screw. Ideal for documentation, quality assurance, and project handover.

More features will be rolled out continuously, making your workflow smarter with every update.

www.stop-digging.com | +46(0)10-147 07 00 | info@stopdigging.se

STOPDIGGING![®]
FOUNDATIONS MADE SMARTER